




NOAA Technical Memorandum NMFS-XXX-##

MTBAP PMNM Data Manual

Marylou Staman

January 2023

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric
Administration
National Marine Fisheries Service
Northwest Fisheries Science Center



**NOAA
FISHERIES**

MTBAP PMNM Data Manual

Marylou Staman¹

1. NOAA Fisheries, Pacific Islands Fisheries Science Center, Protected Species Division, Marine Turtle Biology and Assessment Program

Table of contents

Executive Summary	1
1 Chapter 1 - Introduction	4
1.1 Subheader	4
2 Customize	5
2.1 Edit and add your pages	5
2.2 Add your pages the project	5
3 Customization	6
3.1 Quarto documentation	6
3.2 Examples	6
4 Rendering	7
4.1 Step 1. Make sure you have a recent RStudio	7
4.2 Step 2. Clone and create RStudio project	7
4.3 Step 3. Render within RStudio	7
5 Figures and Tables	8
5.1 Code	8
5.2 Including Plots	8
5.3 Including Tables	9
6 Rendering with Code	10
6.1 Modify the GitHub Action	10
6.2 Render locally and publish to gh-pages branch	11
7 References	12
References	13


List of Figures

5.1 Plot of pressure	9
--------------------------------	---

List of Tables

5.1 Iris Data	9
-------------------------	---

Executive Summary



	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
Mazda RX4	21.0	6	160.0	110	3.90	2.620	16.46	0	1	4	4
Mazda RX4 Wag	21.0	6	160.0	110	3.90	2.875	17.02	0	1	4	4
Datsun 710	22.8	4	108.0	93	3.85	2.320	18.61	1	1	4	1
Hornet 4 Drive	21.4	6	258.0	110	3.08	3.215	19.44	1	0	3	1
Hornet	18.7	8	360.0	175	3.15	3.440	17.02	0	0	3	2
Sportabout											
Valiant	18.1	6	225.0	105	2.76	3.460	20.22	1	0	3	1
Duster 360	14.3	8	360.0	245	3.21	3.570	15.84	0	0	3	4
Merc 240D	24.4	4	146.7	62	3.69	3.190	20.00	1	0	4	2
Merc 230	22.8	4	140.8	95	3.92	3.150	22.90	1	0	4	2
Merc 280	19.2	6	167.6	123	3.92	3.440	18.30	1	0	4	4
Merc 280C	17.8	6	167.6	123	3.92	3.440	18.90	1	0	4	4
Merc 450SE	16.4	8	275.8	180	3.07	4.070	17.40	0	0	3	3
Merc 450SL	17.3	8	275.8	180	3.07	3.730	17.60	0	0	3	3
Merc 450SLC	15.2	8	275.8	180	3.07	3.780	18.00	0	0	3	3
Cadillac	10.4	8	472.0	205	2.93	5.250	17.98	0	0	3	4
Fleetwood											
Lincoln	10.4	8	460.0	215	3.00	5.424	17.82	0	0	3	4
Continental											

Executive Summary

	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
Chrysler Imperial	14.7	8	440.0	230	3.23	5.345	17.42	0	0	3	4
Fiat 128	32.4	4	78.7	66	4.08	2.200	19.47	1	1	4	1
Honda Civic	30.4	4	75.7	52	4.93	1.615	18.52	1	1	4	2
Toyota Corolla	33.9	4	71.1	65	4.22	1.835	19.90	1	1	4	1
Toyota Corona	21.5	4	120.1	97	3.70	2.465	20.01	1	0	3	1
Dodge Challenger	15.5	8	318.0	150	2.76	3.520	16.87	0	0	3	2
AMC Javelin	15.2	8	304.0	150	3.15	3.435	17.30	0	0	3	2
Camaro Z28	13.3	8	350.0	245	3.73	3.840	15.41	0	0	3	4
Pontiac Firebird	19.2	8	400.0	175	3.08	3.845	17.05	0	0	3	2
Fiat X1-9	27.3	4	79.0	66	4.08	1.935	18.90	1	1	4	1
Porsche 914-2	26.0	4	120.3	91	4.43	2.140	16.70	0	1	5	2
Lotus Europa	30.4	4	95.1	113	3.77	1.513	16.90	1	1	5	2
Ford Pantera L	15.8	8	351.0	264	4.22	3.170	14.50	0	1	5	4
Ferrari Dino	19.7	6	145.0	175	3.62	2.770	15.50	0	1	5	6
Maserati Bora	15.0	8	301.0	335	3.54	3.570	14.60	0	1	5	8
Volvo 142E	21.4	4	121.0	109	4.11	2.780	18.60	1	1	4	2

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer commodo gravida justo consectetur condimentum. Proin eget felis non nunc tristique malesuada vel ut tortor. Vivamus lacinia aliquet lorem in congue. In hac habitasse platea dictumst. Etiam non felis iaculis, efficitur libero in, porta nunc. Sed sit amet nisi non justo scelerisque feugiat. Pellentesque porta consectetur sapien, porttitor iaculis ligula fermentum ac. Pellentesque fermentum elementum lacus non tempus. Aenean eu leo lobortis, vulputate mi at, varius sapien. In congue consectetur ultricies. Maecenas volutpat facilisis arcu, eget sodales tellus consequat nec. Integer ullamcorper ex nec leo aliquam tempus. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Nunc dui massa, facilisis at aliquet eu, malesuada vel neque. Donec fermentum elit eu tortor euismod, sed mollis lacus blandit.

New paragraph. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer commodo gravida justo consectetur condimentum. Proin eget felis non nunc tristique malesuada vel ut tortor. Vivamus lacinia aliquet lorem in congue. In hac habitasse platea dictumst. Etiam non felis iaculis, efficitur libero in, porta nunc. Sed sit amet nisi non justo scelerisque feugiat. Pellentesque porta consectetur sapien, porttitor iaculis ligula fermentum ac. Pellentesque fermentum elementum lacus non tempus. Aenean eu leo lobortis, vulputate mi at, varius sapien. In congue consectetur ultricies. Maecenas volutpat facilisis arcu, eget sodales tellus consequat nec. Integer ullamcorper

Executive Summary

ex nec leo aliquam tempus. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Nunc dui massa, facilisis at aliquet eu, malesuada vel neque. Donec fermentum elit eu tortor euismod, sed mollis lacus blandit.

1 Chapter 1 - Introduction

Blah blah blah text

1.1 Subheader

2 Customize

2.1 Edit and add your pages

Edit the qmd or md files in the `content` folder. qmd files can include code (R, Python, Julia) and lots of Quarto markdown bells and whistles (like call-outs, cross-references, auto-citations and much more).

Each page should start with

```
---  
title: your title  
---
```

and the first header will be the 2nd level, so `##`. Note, there are situations where you leave off

```
---  
title: your title  
---
```

and start the qmd file with a level header `#`, but if using the default title yaml (in the `---` fence) is a good habit since it makes it easy for Quarto convert your qmd file to other formats (like into a presentation).

2.2 Add your pages the project

- Add the files to `_quarto.yml`

3 Customization

3.1 Quarto documentation

Quarto allow many bells and whistles to make nice output. Read the documentation here [Quarto documentation](#).

3.2 Examples

Looking at other people's Quarto code is a great way to figure out how to do stuff. Most will have a link to a GitHub repo where you can see the raw code. Look for a link to edit page or see source code. This will usually be on the right. Or look for the GitHub icon somewhere.

- [Quarto gallery](#)
- [nmfs-openscapes](#)
- [Faye lab manual](#)
- [quarto-titlepages](#) Note the link to edit is broken. Go to repo and look in `documentation` directory.

4 Rendering

The repo includes a GitHub Action that will render (build) the website automatically when you make changes to the files. It will be pushed to the `gh-pages` branch.

But when you are developing your content, you will want to render it locally.

4.1 Step 1. Make sure you have a recent RStudio

Have you updated RStudio since about August 2022? No? Then update to a newer version of RStudio. In general, you want to keep RStudio updated and it is required to have a recent version to use Quarto.

4.2 Step 2. Clone and create RStudio project

First, clone the repo onto your local computer. How? You can click `File > New Project` and then select “Version Control”. Paste in the url of the repository. That will clone the repo on to your local computer. When you make changes, you will need to push those up.

4.3 Step 3. Render within RStudio

RStudio will recognize that this is a Quarto project by the presence of the `_quarto.yml` file and will see the “Build” tab. Click the “Render website” button to render to the `_site` folder.

Previewing: You can either click `index.html` in the `_site` folder and specify “preview in browser” or set up RStudio to preview to the viewer panel. To do the latter, go to `Tools > Global Options > R Markdown`. Then select “Show output preview in: Viewer panel”.

5 Figures and Tables

Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

5.1 Code

You can embed an R code chunk like this:

```
summary(cars)
```

speed		dist	
Min.	: 4.0	Min.	: 2.00
1st Qu.:	12.0	1st Qu.:	26.00
Median	:15.0	Median	: 36.00
Mean	:15.4	Mean	: 42.98
3rd Qu.:	19.0	3rd Qu.:	56.00
Max.	:25.0	Max.	:120.00

5.2 Including Plots

You can also embed plots and reference them, like so Figure 5.1.

Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

5 Figures and Tables




Figure 5.1: Plot of pressure

5.3 Including Tables

You can also embed tables and reference them with Table 5.1.

```
library(knitr)
kable(head(iris))
```

Table 5.1: Iris Data

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa

6 Rendering with Code

You can have code (R, Python or Julia) in your qmd file. You will need to have these installed on your local computer, but presumably you do already if you are adding code to your qmd files.

```
x <- c(5, 15, 25, 35, 45, 55)
y <- c(5, 20, 14, 32, 22, 38)
lm(x ~ y)
```

Call:

```
lm(formula = x ~ y)
```

Coefficients:

(Intercept)	y
1.056	1.326

6.1 Modify the GitHub Action

You will need to change the GitHub Action in `.github/workflows` to install these and any needed packages in order for GitHub to be able to render your webpage. The GitHub Action install R since I used that in `code.qmd`. If you use Python or Julia instead, then you will need to update the GitHub Action to install those.

If getting the GitHub Action to work is too much hassle (and that definitely happens), you can always render locally and publish to the `gh-pages` branch. If you do this, make sure to delete or rename the GitHub Action to something like

```
render-and-publish.old.yml
```

so GitHub does not keep trying to run it. Nothing bad will happen if you don't do this, but if you are not using the action (because it keeps failing), then you don't need GitHub to run it.

6.2 Render locally and publish to gh-pages branch

To render locally and push up to the `gh-pages` branch, open a terminal window and then `cd` to the directory with the Quarto project. Type this in the terminal:

```
quarto render gh-pages
```


7 References

Quarto has powerful references functionality. You can easily insert citations from Zotero libraries that you maintain in the cloud (on Zotero). This allows the whole team to update the library and you can sync up to that library. Read about this on the Quarto documentation on citations. Google youtube videos on this also to see it in action.

Add a `.bib` file in to your project or add a linked Zotero library via RStudio in Visual mode with Tools > Project Options... > R Markdown > select custom libraries from the Zotero dropdown.

Then you can type `@` and you will see a dropdown of the references in your libraries. You can then select the ones to add. If you don't see the one you need, you can paste in the DOI and it will be added to your references file (with all the info). The references will be added to your references section of your book automatically.

See the `references.qmd` file for how to include the references.

- `@ansley1981` will produce Ansley and Davis (1981)
- `[@ansley1981]` will produce (Ansley and Davis 1981).

References

Ansley, H. L. H., and C. D. Davis. 1981. "Migration and Standing Stock of Fishes Associated with Artificial and Natural Reefs on Georgia's Outer Continental Shelf." Brunswick, Georgia, USA.